

**IMSE INVENTORY MAK**

**STOCK LIST AS PER 01/04/2026**

**TOP QUALITY PARTS SUITABLE FOR BELOW LISTED ENGINE BRANDS**

| Ref. Item                              | Description                                                                     | Stock |
|----------------------------------------|---------------------------------------------------------------------------------|-------|
| M20/09213051                           | DICHTING HYDRAULIKWERZ. 55/7 *                                                  | 3     |
| M20/11247265                           | STUD                                                                            | 2     |
| M20/11247282                           | STUD                                                                            | 2     |
| M20/11387445                           | HEXAGON SCREW ME AIR STARTER                                                    | 1     |
| M20/12257001                           | HEXAGON HEAD FOR INDICATOR VALVE                                                | 6     |
| M20/12260003 TYPE 1/3                  | NOZZLE ELEMENT, UNCOOLED TYPE A1/3                                              | 16    |
| M20/17082219                           | O RING                                                                          | 43    |
| M20/17082231                           | O-RING INJECTOR POS NR.5                                                        | 85    |
| M20/17082516                           | O-RING VALVE GUIDE                                                              | 19    |
| M20/17084605                           | O RING                                                                          | 14    |
| M20/17084607                           | O-RING FOR GUIDE BOLT                                                           | 37    |
| M20/17084673                           | O-RING INJECTOR SLEEVE                                                          | 79    |
| M20/2111006/LINER                      | LINER FOR USE WITH APR INCL LR LLOYD CERTIFICATE                                | 38    |
| M20/21110113                           | APR RING                                                                        | 18    |
| M20/22107004                           | EX GUIDE                                                                        | 68    |
| M20/22107005                           | IN GUIDE                                                                        | 86    |
| M20/22107006.                          | INLET / EXHAUST VALVE 30DEGR                                                    | 105   |
| M20/22107009                           | VALVE SPRING WASHER                                                             | 14    |
| M20/22107010                           | INNER VALVE SPRING                                                              | 4     |
| M20/22107013                           | HALF CLAMPING VALVE CONE                                                        | 16    |
| M20/22107024                           | SEAL RING FOR INJECTOR                                                          | 30    |
| M20/22107028                           | STUD INJECTOR                                                                   | 63    |
| M20/22107029                           | NUT INJECTOR STUD                                                               | 52    |
| M20/22107106                           | EX VALVE NIMONIC                                                                | 83    |
| M20/22107206A                          | INLET VALVE 20 DEGREE                                                           | 70    |
| M20/22107AA SEMI COMPLETE (HFO.)       | CYL. HEAD NEW WITH IN/EX VALVES AND ROTOCAPS, INLET 20DEGR, INCL LRS CLASS      | 1     |
| M20/22107AA SEMI RECON COMPLETE (HFO.) | CYL. HEAD RECON SEMI WITH VALVES AND ROTOCAPS, INLET 20DEGR, INCL LRS CLASS HFO | 3     |
| M20/22107AA SEMI RECON COMPLETE MDO    | CYLINDER HEAD, RECON SEMI COMPLETE, MDO                                         | 6     |
| M20/22107AA-BARE                       | CYL HEAD BARE, INCL LRS CLASS INCL. SEATS, INJECTOR SLEEVE, GUIDES & YOKE PINS  | 16    |
| M20/22108BB                            | GASKET SET CYLINDER HEAD                                                        | 27    |
| M20/22151004                           | IN VALVE SEAT - 30 DEGR                                                         | 104   |
| M20/22151004A                          | IN VALVE SEAT 20 DEG                                                            | 114   |
| M20/22151005                           | EX VALVE SEAT - 30 DEGR replaced by M20/22151005A                               | 11    |
| M20/22151005+1MM                       | EX VALVE SEAT - OD=74,1/66,1/H=31MM                                             | 32    |
| M20/22151005A                          | EX VALVE SEAT - 30 DEGR                                                         | 140   |
| M20/22151026                           | O-RING INJECTOR SLEEVE                                                          | 66    |
| M20/22225AA                            | ROTOCAP INLET/EXHAUST                                                           | 118   |
| M20/22267005                           | NOZZLE SPRING                                                                   | 6     |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                            |                                                                           |    |
|----------------------------|---------------------------------------------------------------------------|----|
| M20/22601001- 2 BOLTS      | PISTON H=303MM, 3-GROOVES, VAR-22, MW TYPE 2-bolts INCL BV CLASS          | 5  |
| M20/22601001/REC           | PISTON H=303MM, 3-GROOVES, 2 BOLTS - 5/5/6, VAR-22, MW TYPE, RECON        | 2  |
| M20/22601001/REC - 4 BOLTS | PISTON H=303MM, 3-GROOVES, 4 BOLTS - 5/5/6, VAR-22, MW TYPE, RECON        | 6  |
| M20/22617001               | COMPRESSION RING                                                          | 1  |
| M20/22810050REC            | CONNECTING ROD RECON. INCL CLASS ***** without bearings                   | 12 |
| M20/23530100REC            | VALVE ROCKER BRACKET CPL. * RECONDITIONED *                               | 8  |
| M20/23597 SEALSET          | M20/23597 SEALSET FUEL PUMP COMPLETE INSIDE/OUTSIDE                       | 1  |
| M20/23597BB-USED-G40011577 | FUEL INJECTION PUMP ASSEMBLY COMPLETE (USED) M20 - G40011577 - BUILT 2013 | 3  |
| M20/23597BB-USED-MW200015  | FUEL INJECTION PUMP ASSEMBLY COMPLETE (USED) M20 - MW20015                | 2  |
| M20/23597BB-USED-MWA205615 | FUEL INJECTION PUMP ASSEMBLY COMPLETE (USED) M20 - MWA-205615             | 2  |
| M20/26437008               | MECHANICAL SEAL FOR COOLING WATER PUMP                                    | 1  |
| M20/26437100GG             | SET SMALL SPARE PARTS ( FOR PUMP TYPE 2.6437 GG VAR-54 )                  | 2  |
| M20/26437G (CW)            | COOLING WATER PUMP (CW) NOTE: VARIANT G REPLACES ALL OTHER OLDER PUMPS    | 2  |
| M20/27240003               | GASKET FOR CHARGE AIR COOLER                                              | 2  |
| M20/29122B                 | TOOL FOR INJECTOR SLEEVE (ASSEMBLY/DISASSEMBLY)                           | 1  |
| M20/LINER1/REC             | LINER FOR USE WITHOUT APR, RECONDITIONED MAX. WEAR 0,12MM                 | 3  |
| M20/PISTON1/NEW            | PISTON H=300MM, 2 bolts, 4-GROOVES, 5/5/5/6 SPLIT TYPE w. BV certificate  | 4  |
| M20/PISTON1/RECON          | PISTON H=300MM, 4-GROOVES, 5/5/5/6 SPLIT TYPE, RECONDITIONED              | 1  |
| M20/PISTON2/RECON          | PISTON H=303MM, 4-GROOVES, 5/5/5/6 MONOBLOC TYPE, RECONDITIONED           | 3  |
| M20/PISTONSET//22617AA     | PISTON RING SET                                                           | 19 |
| M25/10041224               | WASHER                                                                    | 2  |
| M25/10068225               | SPRING WASHER                                                             | 10 |
| M25/10502100               | EXTENSION SLEEVE                                                          | 2  |
| M25/10502107               | EXTENSION SLEEVE                                                          | 6  |
| M25/10502113               | EXTENSION SLEEVE ( FOR INJECTOR STUD )                                    | 6  |
| M25/11040249               | SCREW PLUG FOR COOLWATER                                                  | 12 |
| M25/11040356               | SCREW PLUG FOR COOLWATER                                                  | 37 |
| M25/11041609               | SCREW PLUG FOR COOLWATER                                                  | 4  |
| M25/11056202               | SCREW PLUG                                                                | 4  |
| M25/11247265               | SAFETY VALVE STUD                                                         | 2  |
| M25/11247586               | STUD                                                                      | 1  |
| M25/12007036               | HEXAGON NUT                                                               | 3  |
| M25/12011036               | HEXAGON NUT                                                               | 8  |
| M25/12017217               | HEXAGONAL THIN NUT                                                        | 12 |
| M25/12021540               | HEXAGON NUT ( SELF LOCK NUT FOR START VALVE )                             | 3  |
| M25/12035033               | HEXAGON NUT ( FOR VALVE ROCKER )                                          | 8  |
| M25/12250005               | RELIEF VALVE                                                              | 5  |
| M25/12250103               | UNION NUT                                                                 | 3  |
| M25/12257DD                | INDICATOR COCK                                                            | 3  |
| M25/15502114               | EXTENSION SLEEVE                                                          | 8  |
| M25/17010029               | JOINT RING ( FOR PART NUMMER: 17010-029 )                                 | 41 |
| M25/17010133               | JOINT GASKET ( FOR PART NUMMER: 11041-609 )                               | 2  |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                             |                                                                                 |     |
|-----------------------------|---------------------------------------------------------------------------------|-----|
| M25/17010273                | JOINT RING ( FOR PART NR: 11040249 )                                            | 12  |
| M25/17010332                | SEAL RING ( FOR PART NUMMER: 11040246)                                          | 6   |
| M25/17033102                | SEAL RING RELIEF VALVE                                                          | 4   |
| M25/17033105                | SEAL RING INDICATOR VALVE                                                       | 14  |
| M25/17033112                | SEAL RING INDICATOR VALVE                                                       | 3   |
| M25/17082232                | O-RING FOR SLEEVE CYL HEAD                                                      | 10  |
| M25/17082517                | O-RING VALVE GUIDE                                                              | 43  |
| M25/17082519                | O-RING INJECTOR SLEEVE (TOP SIDE)                                               | 1   |
| M25/17082910                | O-RING INJECTOR SLEEVE (BOTTOM)                                                 | 1   |
| M25/17084607                | O-RING GUIDE BOLT CYL HEAD                                                      | 51  |
| M25/17084620                | O-RING FUEL INJECTOR                                                            | 18  |
| M25/17084641                | O-RING CYLINDER HEAD                                                            | 100 |
| M25/22107028                | STUD, INJECTOR                                                                  | 4   |
| M25/251110006               | LINER INCL BV CLASS CERTIFICATE                                                 | 27  |
| M25/251110013               | APR / ANTI POLISHING RING                                                       | 31  |
| M25/252107004               | INLET VALVE GUIDE                                                               | 65  |
| M25/252107005               | EXHAUST VALVE GUIDE                                                             | 45  |
| M25/252107006               | VALVE STEM EXHAUST STANDARD                                                     | 32  |
| M25/252107006N              | VALVE STEM EXHAUST NIMONIC                                                      | 82  |
| M25/252107007               | VALVE STEM INLET                                                                | 43  |
| M25/252107011               | VALVE SPRING                                                                    | 8   |
| M25/252107012               | SPRING PLATE                                                                    | 8   |
| M25/252107013               | CLAMPING CONE                                                                   | 16  |
| M25/252107026               | GUIDE BOLT / YOKE PIN FROZEN IN 40MM DIA                                        | 2   |
| M25/252107032               | VALVE STEM , STARTING VALVE                                                     | 2   |
| M25/252107035               | EXTENSION SLEEVE                                                                | 3   |
| M25/252107060               | STUD, VALVE ROCKER, SHORT                                                       | 4   |
| M25/252107061               | STUD, VALVE ROCKER                                                              | 4   |
| M25/252107133               | BUSH                                                                            | 3   |
| M25/252107136               | PISTON                                                                          | 3   |
| M25/252108AA                | GASKET SET CYLINDER HEAD M25                                                    | 44  |
| M25/252151104               | INLET VALVE SEAT RING                                                           | 45  |
| M25/252151105               | EXHAUST VALVE SEAT RING                                                         | 88  |
| M25/252151105+2             | EXHAUST VALVE SEAT RING +2mm                                                    | 85  |
| M25/252225AA                | VALVE ROTATOR                                                                   | 43  |
| M25/252225AAHOLDER          | SPRING HOLDER                                                                   | 20  |
| M25/252250001               | VALVE CARRIER                                                                   | 2   |
| M25/252260002/UNCOOLED/C1/1 | NOZZLE UNCOOLED C1/1 for MGO OPERATION 150 x 12 x 0.40 UCLD****PLEASE INFORM TY | 7   |
| M25/252601004REC            | PISTON PIN L=220 MM RECON                                                       | 5   |
| M25/32245005                | COMPRESSION SPRING                                                              | 3   |
| M25/HEAD BARE               | CYLINDER HEAD BARE, LRS CERTIFICATE IMO 25-7 (INCL. SEATS, GUIDES)              | 2   |
| M25/HEAD SEMI COMPLETE MDO  | CYLINDER HEAD SEMI COMPLETE, MDO, LRS CERTIFICATE IMO 25-7                      | 1   |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                           |                                                          |    |
|---------------------------|----------------------------------------------------------|----|
| M281/122101/VALVE         | IN / EX VALVE                                            | 78 |
| M32/10040224              | WASHER FOR START VALVE                                   | 4  |
| M32/10041820              | SCREW PLUG                                               | 4  |
| M32/10061552              | CIRCLIP                                                  | 28 |
| M32/10066412              | SPRING WASHER                                            | 4  |
| M32/10067409              | DISK SPRING FOR COVER                                    | 4  |
| M32/10502108              | EXTENSION BUSH ( ex 10502066 )                           | 7  |
| M32/11040248              | SCREW/PLUG                                               | 6  |
| M32/11156157              | HEX SOCKET HEAD CAP SCREW                                | 18 |
| M32/11158169              | SOCKET HEAD CAP SCREW                                    | 4  |
| M32/11234260              | STUD FOR COVER SAFETY VALVE                              | 6  |
| M32/11367307              | HEXAGON SCREW FOR START VALVE                            | 12 |
| M32/12021522              | HEX NUT                                                  | 6  |
| M32/12035034              | NUT                                                      | 16 |
| M32/12210007              | CLAMPING CONE HALF ( per pce )                           | 24 |
| M32/12210009              | O-RING VALVE GUIDE IN/EX                                 | 8  |
| M32/12240005              | SPRING                                                   | 3  |
| M32/12240014              | COMPRESSION RING                                         | 7  |
| M32/12250005              | SAFETY VALVE / RELIEF VALVE                              | 6  |
| M32/17010410              | JOINT RING                                               | 4  |
| M32/17033105              | JOINT RING INDICATOR VALVE ( EX M32/98517508 )           | 4  |
| M32/17082911              | O-RING BETWEEN LINER AND CYL.COVER ( EX M32/17084635 )   | 4  |
| M32/17084620              | O-RING INJECTOR SLEEVE (BOTTOM SIDE)                     | 40 |
| M32/17084637              | O-RING INJECTOR SLEEVE (TOP SIDE)                        | 1  |
| M32/342107097             | STUD                                                     | 4  |
| M32/432107047             | COVER RING ***                                           | 5  |
| M32/91110007/LINER/L-TYPE | LINER INCL BV CLASS L = 981MM FOR L-TYPE ENGINE NITRATED | 18 |
| M32/91110007/LINER/V-TYPE | LINER INCL CLASS L = 922MM FOR V-TYPE ENGINE NITRATED    | 14 |
| M32/92107004              | EXHAUST VALVE GUIDE                                      | 84 |
| M32/92107005              | INLET VALVE GUIDE                                        | 93 |
| M32/92107006              | INLET VALVE STEM                                         | 63 |
| M32/92107010/C            | SPRING PLATE M32C                                        | 16 |
| M32/92107014              | INNER VALVE SPRING AK type only                          | 16 |
| M32/92107015              | OUTER VALVE SPRING                                       | 16 |
| M32/92107025              | INDICATOR VALVE                                          | 6  |
| M32/92107035              | VALVE STEM, STARTING VALVE                               | 6  |
| M32/92107036              | COVER                                                    | 4  |
| M32/92107037              | VALVE PLATE                                              | 4  |
| M32/92107038              | PISTON FOR STARTING VALVE                                | 10 |
| M32/92107062              | STUD                                                     | 10 |
| M32/92107064              | STUD                                                     | 4  |
| M32/92107131              | STUD                                                     | 10 |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                          |                                                       |     |
|--------------------------|-------------------------------------------------------|-----|
| M32/92107132             | EXTENSION SLEEVE                                      | 10  |
| M32/92108BB              | SET OF CYL. HEAD GASKETS                              | 38  |
| M32/92151003             | INJECTOR SLEEVE                                       | 1   |
| M32/92151004             | INLET V/V SEAT                                        | 74  |
| M32/92151005             | EXHAUST V/V SEAT                                      | 116 |
| M32/92151005+2           | EXHAUST V/V SEAT +2MM                                 | 41  |
| M32/92151006             | VALVE SEAT INSERT ( START VALVE )                     | 10  |
| M32/92225AA              | VALVE ROTATOR                                         | 89  |
| M32/92225AAHOLDER        | SPRING HOLDER                                         | 5   |
| M32/92225BB/M32C-TYPE    | VALVE ROTATOR **                                      | 92  |
| M32/93597009             | SOCKET HEAD CAP SCREW                                 | 28  |
| M32/97210002             | CLAMING RING / FLANGE                                 | 3   |
| M32C/22107AA BARE        | CYL HEAD BARE,, INCL LRS CLASS (INCL. SEATS, GUIDES)  | 1   |
| M32C/22107AA SEMI (HFO)  | CYL HEAD SEMI CLASS C-TYPE INCL LRS CLASS             | 1   |
| M32C/92670100/C-VAR09-29 | PISTON 3-RING TYPE MAK32C VAR9-29 INCL BV CLASS       | 1   |
| M32C/92670101/C-VAR9-29  | PISTON SKIRT 3-RING TYPE MAK32C INCL BV CLASS VAR9-29 | 8   |
| M32C/92670102/C-VAR9-29  | PISTON CROWN 3-RING TYPE MAK32C INCL BV CLASS VAR9-29 | 8   |
| M43/10060041             | CIRCLIP                                               | 4   |
| M43/10067409             | DISC SPRING                                           | 4   |
| M43/10068240             | CONICAL SPRING WASHER                                 | 1   |
| M43/11041609             | SCREW PLUG, FOR EXH. GAS THERMOMETER                  | 1   |
| M43/11041815             | SCREW PLUG                                            | 4   |
| M43/1110008              | DICHTING RING                                         | 4   |
| M43/12011036             | HEXAGON NUT                                           | 4   |
| M43/12021116             | HEXAGON NUT                                           | 1   |
| M43/12240005             | SPRING                                                | 1   |
| M43/12240014             | COMPRESSION RING                                      | 3   |
| M43/12250005             | RELIEF VALVE                                          | 4   |
| M43/17010273             | JOINT RING                                            | 4   |
| M43/17033102             | JOINT RING                                            | 4   |
| M43/17033105             | JOINT RING                                            | 4   |
| M43/17082247             | O-RING                                                | 5   |
| M43/17084656             | O RING FOR LINER                                      | 2   |
| M43/17084662             | O RING                                                | 1   |
| M43/2107004              | INLET VALVE GUIDE                                     | 10  |
| M43/2107005              | EXHAUST VALVE GUIDE                                   | 8   |
| M43/2107008              | VALVE SPRING CAP                                      | 1   |
| M43/2107010              | VALVE SPRING                                          | 2   |
| M43/2107012              | SPRING PLATE                                          | 1   |
| M43/2151004              | INLET VALVE SEAT INSERT                               | 81  |
| M43/2151005              | EXHAUST VALVE SEAT INSERT                             | 85  |
| M43/2151005+3            | EXHAUST VALVE SEAT INSERT, O/S+3MM                    | 28  |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                        |                                                                                  |     |
|------------------------|----------------------------------------------------------------------------------|-----|
| M43/2225AA             | VALVE ROTATOR INLET / EXHAUST                                                    | 96  |
| M43/283210082          | VALVE SEAT                                                                       | 3   |
| M43/431110006          | CYLINDER LINER NEW INCL LRS CERTIFICATE FOR M43 ENGINE                           | 5   |
| M43/431110007          | CALIBRATION INSERT                                                               | 2   |
| M43/432107002          | YOKE PIN / GUIDE BOLT AK/C ( frozen-in type )                                    | 13  |
| M43/432107017          | VALVE STEM,AIR STARTING VALVE                                                    | 1   |
| M43/432107018          | SPRING PLATE                                                                     | 1   |
| M43/432107019          | EXTENSION SLEEVE                                                                 | 1   |
| M43/432107021          | PISTON                                                                           | 1   |
| M43/432107022          | COVER                                                                            | 1   |
| M43/432107307          | EXHAUST VALVE STEM,WITHOUT WING ( EX M43/2107007 / EX M43/432107007 )            | 6   |
| M43/432108BB           | SET OF GASKET FOR CYLINDER HEAD/MOUNTING                                         | 10  |
| M43/CYLINDERHEAD       | CYLINDERHEAD, NEW, BARE, IMO 43-06 W. SEATS AND GUIDES, FUEL INJECTOR SLEEVE M45 | 4   |
| M453/10061551/AKC      | CIRCLIP                                                                          | 12  |
| M453/11101002/AK       | CYLINDER LINER 453AK & B incl BV class                                           | 4   |
| M453/11152154          | HEXAGON SOCKET HEAD CAP SCREW                                                    | 4   |
| M453/12123101/AKC      | INLET VALVE GUIDE                                                                | 54  |
| M453/12123102/AKC      | O RING ( FOR VALVE GUIDE )                                                       | 16  |
| M453/12123201/AKC      | EX VALVE GUIDE                                                                   | 55  |
| M453/12151003/AKC      | INLET VALVE SEAT UNCOOLED                                                        | 53  |
| M453/12210001EX/AKC    | EXHAUST VALVE VAR 10-44                                                          | 157 |
| M453/12210001EXNIM/AKC | EXHAUST VALVE NIMONIC VAR 10-41                                                  | 54  |
| M453/12210001INEX/AKC  | INLET/EXHAUST VALVE VAR10-45 ****                                                | 48  |
| M453/12210002/AK/B/C   | ROTOCAP AK/C/B                                                                   | 29  |
| M453/12210003/AK       | LOWER SPRING PLATE                                                               | 18  |
| M453/12210006/C        | SPRING PLATE UPPER                                                               | 23  |
| M453/12240BB           | STARTING VALVE, USED, RECOND                                                     | 2   |
| M453/12250001          | FLANGE                                                                           | 2   |
| M453/12250102          | MALE CONNECTOR                                                                   | 2   |
| M453/12250103          | CONNECTING NUT                                                                   | 2   |
| M453/12257DD           | INDICATOR VALVE                                                                  | 2   |
| M453/17010122/AK       | JOINT RING                                                                       | 2   |
| M453/17010133          | JOINT RING                                                                       | 2   |
| M453/17010154          | JOINT RING                                                                       | 2   |
| M453/17010332          | JOINT RING                                                                       | 3   |
| M453/17082621/AK       | O-RING FOR EXHAUST VALVE SEAT                                                    | 20  |
| M453/CLDSEAT           | VALVE SEAT COOLED DIA 118.80MM H=39                                              | 87  |
| M453/CLDSEAT NEW       | VALVE SEAT COOLED DIA 116,85MM H=37                                              | 14  |
| M453/CLDSEAT+1         | VALVE SEAT H=39 D=119.8                                                          | 1   |
| M453/OLDTYPESEAT       | VALVE SEAT DIA 117 h=37                                                          | 13  |
| M453AK/62170/AK        | CYL. HEAD 453AK BARE, COOLED SEATS incl BV certificate                           | 13  |
| M453AK/PISTON          | PISTON BUILD KS TYPE MAK453AK incl BV certificate                                | 5   |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                                  |                                                                                  |    |
|----------------------------------|----------------------------------------------------------------------------------|----|
| M453AK/PISTON W.O                | PISTON BUILD KS TYPE MAK453AK WITHOUT CERTIFICATE                                | 6  |
| M453C/111012                     | CYLINDER LINER 453C                                                              | 10 |
| M453C/111012 X                   | CYLINDER LINER 453C - WITHOUT BV                                                 | 1  |
| M453C/12670/SPLITTYPE            | PISTON 453C KS TYPE incl BV certificate                                          | 6  |
| M453C/HEADBARE                   | CYLINDER HEAD 453C BARE incl LRS certificate                                     | 7  |
| M453C/HEADBARE+1MM EXHAUST SEATS | CYLINDER HEAD BARE 453C ENGINE incl BV certificate +1MM EXHAUST SEATS / NEW HEAD | 2  |
| M453C-N-U                        | NOZZLES UNCOOLED                                                                 | 17 |
| M551/10-41                       | IN/EX VALVE                                                                      | 4  |
| M581/INEXVALVE                   | IN/EX VALVE                                                                      | 2  |
| VUL/EZR2032                      | VULKAN COUPLING EZR2032 (2 halves)                                               | 1  |
|                                  |                                                                                  |    |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB