

**IMSE INVENTORY WARTSILA**

**STOCK LIST AS PER 01/04/2026**

**TOP QUALITY PARTS SUITABLE FOR BELOW LISTED ENGINE BRANDS**

| Ref. Item                      | Description                                                                          | Stock |
|--------------------------------|--------------------------------------------------------------------------------------|-------|
| VTR250MSETGASKETS              | SET OF GASKETS (consist of)                                                          | 2     |
| WAR20/100019                   | GASKET                                                                               | 2     |
| WAR20/110016                   | V-RING SPARE PART KIT                                                                | 1     |
| WAR20/113001/045/PISTON/C      | PISTON W20C CPL, MAHLE TYPE 35,7MM 1 BOLT TYPE CAST STEEL incl BV certificate        | 16    |
| WAR20/113001A/C                | PISTON 2-BOLT TYPE CAST IRON SKIRT 175,70 incl BV certificate                        | 8     |
| WAR20/113001A/CROWN/C          | PISTON CROWN 2-BOLT TYPE incl BV certificate                                         | 5     |
| WAR20/113001A/SKIRT/C          | PISTON SKIRT 2-BOLT TYPE CAST IRON 175,70 incl BV certificate                        | 5     |
| WAR20/113001B/CROWN/C          | PISTON CROWN 2-BOLT TYPE WITH VALVE POCKETS incl BV certificate                      | 2     |
| WAR20/113001VP                 | PISTON CPL, 2-B CROWN, BV CERT WITH VALVE POCKETS                                    | 11    |
| WAR20/113003/028/CROWN/C       | PISTON CROWN WARTSILA W20C 1 BOLT TYPE CROWN 35,7MM CAST STEEL incl BV certificate   | 2     |
| WAR20/113007A                  | WASHER, 10MM                                                                         | 2     |
| WAR20/113007B                  | WASHER, 10MM / DISTANCE PIECE                                                        | 1     |
| WAR20/113010/015ST             | GUDGEON PIN (SHORT TYPE FOR FORGED STEEL SKIRT PISTON) 148MM (EX WAR20/113010)       | 15    |
| WAR20/113011/010/SKIRT/C       | PISTON WARTSILA W20C 1 BOLT TYPE SKIRT CAST STEEL incl BV certificate                | 4     |
| WAR20/113012B                  | PISTON RING SET, CHR-CERAMIC                                                         | 5     |
| WAR20/120005 BARE RECON +0.5/C | CYL. HEAD SEMI BV CERT, 58MM INJECTOR (RECON) +0.5MM SEAT (INCL. SEATS, GUIDES, SL)  | 3     |
| WAR20/120005 BARE/C            | CYL. HEAD BARE LRS CERT, 58MM INJECTOR (INCL. SEATS, GUIDES, SLEEVE INJ. & YOKE PIN) | 6     |
| WAR20/120006B                  | SLEEVE INJ. VALVE, FOR 58MM INJ                                                      | 5     |
| WAR20/120006C                  | SLEEVE INJ. VALVE, 52MM INJ                                                          | 1     |
| WAR20/120006C-NEW TYPE         | SLEEVE INJ. VALVE, WAR20C - NEW TYPE CYLINDER HEAD                                   | 8     |
| WAR20/120007                   | YOKE PIN                                                                             | 24    |
| WAR20/120009                   | SEALING RING                                                                         | 8     |
| WAR20/120013                   | VALVE GUIDE *                                                                        | 35    |
| WAR20/120014                   | SEALING PUSH-IN CAP FOR COOLING WATER                                                | 4     |
| WAR20/120015                   | CYL. HEAD GASKET SET                                                                 | 1     |
| WAR20/120017                   | O-RING EX VALVE SEAT                                                                 | 13    |
| WAR20/120018                   | O-RING EX VALVE SEAT                                                                 | 69    |
| WAR20/120021H13/C              | INLET SEAT 13MM / NEW TYPE                                                           | 96    |
| WAR20/120021H15                | INLET SEAT 15MM / OLD TYPE                                                           | 24    |
| WAR20/120021H15.1              | INLET SEAT 15MM / OLD TYPE * WITH SPECIAL GROOVE                                     | 31    |
| WAR20/120022                   | EXHAUST SEAT CRNI60/40 - 2 GROOVES                                                   | 60    |
| WAR20/120022/C                 | EX VALVE SEAT NEW TYPE 1 O-RING GROOVE CRNI60/40                                     | 272   |
| WAR20/120022+1                 | EXHAUST SEAT CRNI60/40 - 2 GROOVES +1MM O/S                                          | 8     |
| WAR20/120022+1/C               | EX VALVE SEAT NEW TYPE 1 O-RING GROOVE CRNI60/40 +1MM O/S                            | 9     |
| WAR20/120022+2/C               | EX VALVE SEAT NEW TYPE 1 O-RING GROOVE CRNI60/40 +2MM O/S                            | 59    |
| WAR20/120022+2CRNI60/40        | EXHAUST SEAT CRNI60/40 - 2 GROOVES +2MM O/S                                          | 78    |
| WAR20/121002                   | VALVE COTTER ( PER 1 SET OF 2PCS )                                                   | 155   |
| WAR20/121003                   | ROTOCAP                                                                              | 212   |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                            |                                                                                        |     |
|----------------------------|----------------------------------------------------------------------------------------|-----|
| WAR20/121005               | O-RING FOR VALVE GUIDE                                                                 | 53  |
| WAR20/121006               | EXH. VALVE                                                                             | 466 |
| WAR20/121006N              | EXHAUST VALVE NIMONIC                                                                  | 91  |
| WAR20/121012               | INLET VALVE                                                                            | 382 |
| WAR20/165052A              | GASKET SET FOR INJECTION PUMP, 5-BOLT                                                  | 8   |
| WAR20/167006A              | YOKE CC 80MM, FOR 52MM INJ.                                                            | 1   |
| WAR20/223013               | THRUST BEARING BUSH                                                                    | 4   |
| WAR20/471179               | O-RING                                                                                 | 5   |
| WAR20/471180               | O-RING                                                                                 | 2   |
| WAR20B/120005 BARE         | CYL. HEAD BARE, BV CERT, 52MM INJECTOR (INCL. SEATS, GUIDES, SLEEVE INJ. & YOKE PIN)   | 9   |
| WAR20B/120005-BARE +0.5    | CYLINDER HEAD BARE +0.5MM SEAT - 52MM INJECTOR                                         | 4   |
| WAR20B/PIS/113003/010/CR   | PISTON CROWN WARTSILA W20B 1 BOLT TYPE CROWN 34MM MAHLE TYPE incl BV class             | 10  |
| WAR20C/120005-BARE +0.5    | CYLINDER HEAD BARE +0.5MM SEAT - 58MM INJECTOR                                         | 4   |
| WAR22/100325               | LINER INCL CLASS CERTIFICATE / NEW DESIGN L=530 APR USE                                | 20  |
| WAR22/111154/55.           | SCREW / STUD                                                                           | 2   |
| WAR22/111155               | NUT                                                                                    | 2   |
| WAR22/113125               | PISTON WARTSILA WITHOUT APR USE incl BV certificate                                    | 6   |
| WAR22/113125/APR           | PISTON WAR 22, APR USE incl BV certificate                                             | 5   |
| WAR22/113126               | PISTON PIN 194MM                                                                       | 22  |
| WAR22/120004               | IN / EX VALVE GUIDE NEW TYPE 129MM                                                     | 2   |
| WAR22/120029BARE           | CYLINDER HEAD BARE incl LRS certificate (INCL. SEATS, GUIDES, SLEEVE INJ. & YOKE PIN)  | 2   |
| WAR22/120030-20°           | INLET SEAT 20DEGR                                                                      | 24  |
| WAR22/120030-30°           | VLV SEAT INLET,30° STD 78MM                                                            | 4   |
| WAR22/120031A/3V12B121     | EXHAUST SEAT CRNI60/40                                                                 | 70  |
| WAR22/120031A+2            | EX SEAT +2MM                                                                           | 2   |
| WAR22/120031B/3V12B121     | EX SEAT *****                                                                          | 4   |
| WAR22/120032               | O-RING                                                                                 | 1   |
| WAR22/120033               | O-RING                                                                                 | 71  |
| WAR22/120034               | YOKE PIN                                                                               | 1   |
| WAR22/120039               | STUD                                                                                   | 10  |
| WAR22/120050 SEMI COMPLETE | CYLINDER HEAD SEM COMPLETE * incl BV certificate - consisting of:                      | 2   |
| WAR22/120175               | CYL. HEAD SEALING 1MM                                                                  | 10  |
| WAR22/121007               | VALVE COTTER PER SET OF 2PCS                                                           | 196 |
| WAR22/121015A/3V12B0120    | INLET/EXHAUST VALVE 30                                                                 | 100 |
| WAR22/121015B/3V12B0181    | EX VALVE 30DEG                                                                         | 130 |
| WAR22/121016               | VALVE SPRING                                                                           | 44  |
| WAR22/121017               | ROTOCAP                                                                                | 32  |
| WAR22/121020/3V12B0180     | INLET VALVE 20°                                                                        | 102 |
| WAR22/121031A/3V12B121+2   | EXHAUST SEAT CRNI60/40+2MM O/S                                                         | 18  |
| WAR22B/120029              | CYLINDER HEAD WAR22B BARE incl BV Certificate (INCL. SEATS, GUIDES, SLEEVE INJ. & YOKE | 2   |
| WAR26/1050001LONG          | CYLINDER LINER LONG TYPE 652MM FOR L-TYPE ENGINE incl BV certificate                   | 14  |
| WAR26/1050001SHORT         | CYLINDER LINER SHORT TYPE 617MM V-TYPE ENGINE INCL BV                                  | 27  |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                               |                                                                                      |     |
|-------------------------------|--------------------------------------------------------------------------------------|-----|
| WAR26/1100005                 | V-RING                                                                               | 2   |
| WAR26/1201002                 | VALVE GUIDE                                                                          | 161 |
| WAR26/1201003                 | INLET VALVE SEAT standard size 105.0 mm                                              | 60  |
| WAR26/1201004                 | EXHAUST VALVE SEAT, CRNI60/40 standard size 97.0 mm                                  | 150 |
| WAR26/1201004+2               | EXHAUST VALVE SEAT OVERSIZE +2 MM, CRNI60/40                                         | 74  |
| WAR26/1201700BARE             | CYLINDER HEAD WITH YOKE PIN, SLEEVE, GUIDES & SEATS incl LRS Class                   | 8   |
| WAR26/1210003                 | ROTOCAP                                                                              | 51  |
| WAR26/1210003 ( EMPTY )       | ROTOCAP                                                                              | 1   |
| WAR26/1210005                 | INLET VALVE                                                                          | 84  |
| WAR26/1210007                 | O RING (VALVE GUIDE)                                                                 | 26  |
| WAR26/1211005N                | EXHAUST VALVE, NIMONIC                                                               | 106 |
| WAR26/1211005ST               | EXHAUST VALVE, NON-NIMONIC                                                           | 22  |
| WAR26/1410008                 | SPRING                                                                               | 56  |
| WAR26/1610001                 | BRACKET FUEL PUMP                                                                    | 6   |
| WAR26/1610011                 | SPRING                                                                               | 27  |
| WAR26/2230003                 | GEARWHEEL                                                                            | 3   |
| WAR26/2230004                 | GEARWHEEL                                                                            | 3   |
| WAR26/2230008                 | ADJUSTING SLEEVE                                                                     | 2   |
| WAR26/2230011                 | BALL BEARING                                                                         | 4   |
| WAR26/2230012                 | BALL BEARING                                                                         | 4   |
| WAR26/2230013                 | BALL BEARING                                                                         | 4   |
| WAR26/2230014                 | BALL BEARING                                                                         | 4   |
| WAR26/2231004                 | CLAMPING ELEMENT                                                                     | 4   |
| WAR26/2240006                 | BEARING BUSH                                                                         | 92  |
| WAR26/4701002                 | FILTER CARTRIDGE                                                                     | 11  |
| WAR32/100050                  | SEALING SET FOR HYDRAULIC JACK                                                       | 3   |
| WAR32/113001C/KS3+1/2+2       | PISTON CROWN VASA 32 KS TYPE 3+1/2+2                                                 | 5   |
| WAR32/113021C/MAHLE3+1        | PISTON CROWN W32 TYPE 3+1 incl BV certificate                                        | 1   |
| WAR32/113021S/KS3+1           | PISTON SKIRT W32 TYPE 3+1 incl BV certificate                                        | 2   |
| WAR32/113021S/MAHLE3+1        | PISTON SKIRT W32 TYPE 3+1 incl BV certificate                                        | 1   |
| WAR32/113025/MAHLE3+1         | PISTON VASA32 MAHLE TYPE 3+1 incl BV certificate                                     | 5   |
| WAR32/120003                  | SLEEVE FOR INJECTION VALVE (VASA)                                                    | 1   |
| WAR32/120009 CRNI             | EXHAUST SEAT 30° CRNI60/40                                                           | 86  |
| WAR32/120009+1                | EXH. VALVE SEAT - OVERSIZE+1MM                                                       | 5   |
| WAR32/120009+2 CRNI60/40      | EXHAUST SEAT CRNI60/40 + 2MM                                                         | 194 |
| WAR32/120009+3                | EXH. VALVE SEAT - OVERSIZE+3MM                                                       | 13  |
| WAR32/120010                  | O-RING EX VALVE SEAT                                                                 | 49  |
| WAR32/120011                  | O-RING EX VALVE SEAT                                                                 | 58  |
| WAR32/120012.2                | INLET VALVE SEAT 20°                                                                 | 155 |
| WAR32/120022                  | IN/EX VALVE GUIDE                                                                    | 89  |
| WAR32/120055 BARE             | CYLINDER HEAD VASA32 BARE LRS CERTIFICATE (INCL. SEATS, GUIDES, SLEEVE INJ. & YOKE P | 2   |
| WAR32/120055 BASIC TYPE089085 | CYLINDER HEAD VASA32DF BASIC LRS CERTIFICATE NAKED WITHOUT PLUG                      | 1   |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB

|                                 |                                       |     |
|---------------------------------|---------------------------------------|-----|
| WAR32/121002                    | VALVE COTTER PAIR                     | 1   |
| WAR32/121006N                   | EXHAUST VALVE NIM 30°                 | 50  |
| WAR32/121006S                   | IN/EX VALVE 30°                       | 84  |
| WAR32/121010.2                  | INLET VALVE 20°                       | 81  |
| WAR32/121030-8MM                | ROTOCAP 8MM NEW TYPE                  | 142 |
| WAR32/121031                    | VALVE SPRING INNER                    | 4   |
| WAR32/125010.                   | SAFETY VALVE, 200BAR                  | 3   |
| WAR32/143035REC                 | ROCKER ARM W. BRACKET                 | 1   |
| WAR32/148002CCW                 | CAMSHAFT PIECE CCW                    | 1   |
| WAR32/16518030REC               | INJECTION PUMP RECON PE0-G030 ***     | 5   |
| WAR32/165180REC                 | INJECTION PUMP RECON PE0-G024         | 3   |
| WAR32/200137                    | EX GAS BELLOW 32 12V3214244           | 2   |
| WAR32/470200                    | FILTER CARTRIDGE                      | 24  |
| WAR32L/120007                   | YOKE PIN                              | 2   |
| WAR32L/120013                   | IN/EX GUIDE                           | 83  |
| WAR32L/120017                   | O-RING FOR EXHAUST VALVE SEAT RING    | 14  |
| WAR32L/120021/20                | INLET VALVE SEAT 20degr angle         | 47  |
| WAR32L/120022                   | EX VALVE SEAT CRNI60/40*              | 111 |
| WAR32L/120022+2                 | EX VALVE SEAT CRNI60/40 +2mm oversize | 59  |
| WAR32L/121003                   | ROTOCAP ( EX WAR32L/121009 ) 10mm     | 77  |
| WAR32L/121006                   | EX VALVE NIMONIC 40DEGR               | 90  |
| WAR32L/121012/WAR34SG/3V12B0246 | INLET VALVE 20DEGR                    | 91  |
| WAR46/120012                    | INLET VALVE SEAT H=32mm 20degr        | 72  |
| WAR46/120081                    | VALVE GUIDE 319MM                     | 31  |
| WAR46/120103                    | EX VALVE SEAT NEW TYPE                | 33  |
| WAR46/120103+1                  | EXH VALVE SEAT + 1MM                  | 4   |
| WAR46/120103+2                  | EXH VALVE SEAT + 2MM                  | 60  |
| WAR46/121007                    | INLET VALVE 20degr                    | 1   |
| WAR46/121030                    | ROTOCAP                               | 153 |

**IMSE bv**

Griffinstraat 7 - B2170 Merksem (Antwerp) - Belgium

Tel: +32 3 644 41 21 - E-mail: [info@imse.org](mailto:info@imse.org) - VAT BE 0469.781.886

Bank Account: Belfius Bank - IBAN BE80 0682 4227 2277 - SWIFT: GKCCBEBB